SAPC 13649 COPY, OF2

25X1

February 25, 1957

George:

As you know, paid us a visit on February 21st. Our discussions with him clarified the position of the various proposals we have outstanding for Cliff. I would like to confirm at this time our current understanding as to the position of these proposals.

180" Rectifier

Cliff requested a budget proposal from us on a rectifier for the "C" Configuration. Due to the press of work on this project we never did get to complete it. Our understanding at the moment is that interest in this device has been postponed indefinitely. Therefore, we would like to hold this proposal in abeyance until any interest may be generated in it by Cliff's group.

9 x 18" Rectifier

A budget proposal and preliminary specifications were furnished by us late last year. It is our understanding that interest has lagged in this device at the moment. We are not planning any further effort on this proposal until we may hear from Cliff's group again.

Film Projector

The chief purpose of Bob's visit was to discuss the requirements for a film projector similar to the one contemplated under contract AL 30-56 (which is currently undergoing termination proceedings). We are now preparing a proposal for one such projector and hope to have it in your hands some time after mid March.

Tracking Camera Rectifier

I understand that your interest in this is continuing and that we may expect to hear from Cliff's group as to requirements for such a device. If you recall, we furnished a budget quotation and rough technical specifications last year.



 - 2 -

Desk Stereo

Cliff had requested a quotation from us on this device some time ago. We still owe such a proposal to you. I am wondering whether you still wish it in view of the probably changes in requirements as of now. I shall hold this proposal and its preparation until I hear further from Cliff on the subject. The above you may appreciate is some unfinished business which we may be able to clean up now that Cliff is able to assign a man on this activity. I trust that the foregoing tabulation can be of assistance to both you and Cliff on this matter.

Am

TWM: hm

Copy gum to SMOV5/ 25X1